





Banatrel

NOTICE

Before using this product, read the entire label

EC FERTILISER

Mixture of micronutrients Boron (B) and Zinc (Zn) (Zinc borate, zinc oxide) with Nitrogen (N), Calcium (Ca) and Magnesium (Mg)


Guaranteed analysis (w/w%): 0.9% = 15 g/l boron (B) 9% = 150 g/l zinc (Zn)

1.3% = 21 g/l nitrogen (N) 12% = 201g/l calcium (Ca) [17% = 282g/l calcium oxide (CaO)] 5.5% = 91g/l magnesium (Mg) [9% = 151g/l magnesium oxide (MgO)]

Importer: Yara Fertilisers India Pvt. Ltd. # 402. Suyog Fusion. Dhole Patil Road Sangamwadi MH-411001 Pune, India Tel: +91 20 4130 2585 / 86 / 87

Produced and Distributed by: **Yara UK Limited.** Pocklington Industrial Estate, Pocklington, York. YO42 1DN Tel: 01759 302545

1000 litre Net weight: 1670 kg



Warning

Hazardous ingredients: Boric acid, zinc salt
H361: Suspected of damaging fertility or the unborn
child. H401: Toxic to aquatic life. H411: Toxic to aquatic
life with long lasting effects. P202: Do not handle until
all safety precautions have been read and understood.
P280: Wear protective gloves/clothing and eye/face
protection. P273: Avoid release to the environment.
P308+P313: IF exposed or concerned: Get medical
attention. P391: Collect spillage. P501: Dispose of
contents and container according to local regulations.

YaraVita[™] Banatrel[™]

Bananas: 2 l/ha applied at early canopy development. Repeat if necessary at 10 to 14 day intervals.

Water rate: 20 to 1500 l/ha. Do not spray

on developing fruit.

Cereals: 1 to 3 L / ha. apply from stem production to total emergence of the spike. Minimum water volume: 200 L / ha.

Citrus: 1 to 4 L / ha before flowering and repeating immediately after fruit set. Minimum water volume: 300 L / ha.

DIRECTIONS FOR USE ALWAYS FOLLOW THESE LABEL INSTRUCTIONS

Mix the product thoroughly before use. Slowly add the product to the tank, via the induction hopper, whilst agitating. Top up with water and continue to agitate until spraying is completed.

TANK MIXING/CO-APPLICATION

Read ALL labels carefully and adhere strictly to the instructions for use. Co-application is entirely at the risk of the end-user. Before co-application of products you, or your advisor, must visit www.tankmix.com for important information. Alternatively, contact Yara for specific advice.

PRECAUTIONS

Only to be used on protected crops if specifically listed. Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Wear suitable gloves and face shield when handling this product. Clean all equipment before and after use. Please refer to the MSDS for further information, available at www.yara.com.

STORAGE

Keep in a cool, dry chemical store, out of reach of children and livestock. Protect from temperature extremes (-5°C < and <35°C). Dispose of contents and container in accordance with all local, regional, national and international regulations.

CONDITIONS OF SALE

This Product is sold subject to the seller's Terms and Conditions of Sale, which are available upon request. Use of the Product is acceptance by the buyer of the Terms and Conditions of Sale.