



NOTICE

Before using this product, read the entire label

Glytrel™ CMZ

YaraVita™

Glytrel™ CMZ

GROUP 2 FERTILIZER
REGISTRATION NO. B6026 ACT 36 OF 1947

Mixture of micro-nutrients copper, manganese and zinc with phosphate

Plant nutrient content:

64 g/kg = 88 g/l phosphorus (P),

7 g/kg = 10 g/l copper (Cu),

33 g/kg = 45 g/l manganese (Mn),

33 g/kg = 45 g/l zinc (Zn).

Specific gravity 1.377 at 20°C

Registered by **Yara Africa Fertilizer (Pty) Ltd.**
10795 Lambrechstraat Hugenot, Paarl, South Africa.
Tel: + 27 (0) 21 877 5300
Reg.nr. 2011/003434/07
Manufactured by Yara UK Ltd., Pocklington, York YO42 1DN, U.K.

10 litres

YaraVita™ Glytrell™ CMZ

RECOMMENDED APPLICATION RATES AND TIMINGS

Cereals: 1 to 3 l/ha from 2 leaf stage to second node detectable (Zadok's G.S. 12 to 32). For moderate to severe deficiency repeat applications at 7 to 14 day intervals as necessary within these growth stages. Water rate: 30 to 200 l/ha.

Cotton: 1 to 3 l/ha at the 4 to 6 leaf stage. For moderate to severe deficiency, repeat applications at 10 to 14 day intervals. N.B. Do not spray during flowering. Water rate: 30 to 200 l/ha.

Soya Bean: 1 to 3 l/ha as early in the growing season as possible, provided there is adequate leaf cover to intercept the spray. Water rate: 30 to 200 l/ha.

Maize: 1 to 3 l/ha at the 2 to 8 leaf stage. For moderate to severe deficiency, repeat applications at 10 to 14 day intervals as necessary. Water rate: 30 to 200 l/ha.

Wheat: 1 to 3 l/ha from 2 leaf stage to second node detectable (Zadok's G.S. 12 to 32). For moderate to severe deficiency repeat applications at 7 to 14 day intervals as necessary within these growth stages. Water rate: 30 to 200 l/ha.

For further crop recommendations contact your Yara representative.

DIRECTIONS FOR USE

ALWAYS FOLLOW THESE LABEL INSTRUCTIONS

Mix the product thoroughly before use. Slowly add the product to the tank, via the induction hopper, whilst agitating. Top up with water and continue to agitate until spraying is completed.

TANK MIXING/CO-APPLICATION

Read ALL labels carefully and adhere strictly to the instructions for use. Co-application is entirely at the risk of the end-user. Before co-application of products you, or your advisor, must visit www.tankmix.com for important information. Alternatively, contact Yara for specific advice.

PRECAUTIONS

Only to be used on protected crops if specifically listed. Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Wear suitable gloves and face shield when handling this product. Clean all equipment before and after use. Please refer to the MSDS for further information, available at www.yara.com.

STORAGE

Keep in a cool, dry chemical store, out of reach of children and livestock. Protect from temperature extremes (-5°C < and <35°C). Dispose of contents and container in accordance with all local, regional, national and international regulations.

CONDITIONS OF SALE

This Product is sold subject to the seller's Terms and Conditions of Sale, which are available upon request. Use of the Product is acceptance by the buyer of the Terms and Conditions of Sale.



YaraVita™ Glytrel™ CMZ



UN 3264

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (Phosphoric acid)

Danger

Hazardous ingredients: phosphoric acid, manganese sulphate, copper sulphate pentahydrate

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H373: May cause damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

P260: Do not breathe gas or vapour.

P280: Wear protective gloves/clothing and eye/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P391: Collect spillage.

P234: Keep only in original packaging.