

Mantrac DF

APPLICATION RATES AND TIMINGS

Apple: 3 kg/ha in 200 litres/ha water. For severe deficiency, repeat applications should be made at the above rate at 10-14 day intervals After petal fall.

Cereals: 3 kg/ha in 200 litres/ha water. For severe deficiency, repeat applications should be made at the above rate at 10-14 day intervals. 2 leaf stage to first node detectable (Zadok's G.S. 12-31). For autumn-sown crops, an application prior to winter dormancy is strongly recommended.

Oilseed Rape: 3 kg/ha in 200 litres/ha water. For severe deficiency, repeat applications should be made at the above rate at 10-14 day intervals. Autumn application at 4-9 true leaves followed by spring application at stem extension (regrowth).

Peas: 3 kg/ha in 200 litres/ha water. For severe deficiency, repeat applications should be made at the above rate at 10-14 day intervals 4-6 true leaves (for yield); at or around flowering (for quality).

Plum: 3 kg/ha in 200 litres/ha water. For severe deficiency, repeat applications should be made at the above rate at 10 to 14 day intervals. After petal fall.

Potatoes: 3 kg/ha in 200 litres/ha water. For severe deficiency, repeat applications should be made at the above rate at 10 to 14 day intervals. 1 week after 100% emergence.

Sugar Beet: 3 kg/ha in 200 litres/ha water. For severe deficiency, repeat applications should be made at the above rate at 10 to 14 day intervals. 4-6 true leaves.

DIRECTIONS FOR USE

ALWAYS FOLLOW THESE LABEL INSTRUCTIONS

Slowly add the product to the tank, via the induction hopper, whilst agitating. Top up with water and continue to agitate until spraying is completed.

TANK MIXING/CO-APPLICATION

Read ALL labels carefully and adhere strictly to the instructions for use and advice regarding whether or not product(s) should be co-applied. Many variables, outside the control of Yara, can influence the performance of co-applied products and therefore co-application is entirely at the risk of the end-user. It is strongly recommended that a limited application is made initially when using unfamiliar product mixes. *Before co-application of products you, or your advisor, must visit www.tankmix.com for important information. Alternatively, contact Yara for specific advice.*

PRECAUTIONS

Only to be used on protected crops if specifically listed. Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Wear suitable gloves and faceshield when handling this product. Clean all equipment before and after use.

STORAGE

Keep in a cool, dry chemical store, out of reach of children and livestock. *Protect from frost and other climatic extremes. (temperatures exceeding 40°C)*

CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITY

Yara warrants that the product within the unopened container conforms to the chemical description on this label. The directions on this label must be followed carefully and are based on tests, believed to be reliable. As the occurrence of unusual weather or soil conditions, and the use of this product, are all beyond the control of Yara, no guarantee, expressed or implied, is made as to the effects of such use or the results obtained, and in no event shall the liability of Yara exceed the price of the product used. The purchaser must assume all risks of storage, use or application of this product. Goods are sold subject to the standard Conditions of Sale of Yara, available on request. Use of the product implies that the purchaser accepts these Conditions of Sale.