

Nutra-Spray® Zinc 50 Plus

APPLICATION METHODS

This product may be applied by air, ground sprayer or overhead sprinkler. Apply aerial applications in at least 5 gallons/acre (~20 liters/hectare) and ground applications in at least 10 gallons/acre (~40 liters/hectare); however, when total application gallowage is 25 gallons per acre (~100 liters/hectare) or less, DO NOT mix more than 1 lb. of this product per gallon of water (~0.5kg/10 liters). For overhead sprinkler applications, apply in no more than 1/4 acre inch (6 mm/hectare) water.

DOSE RATES AND TIMINGS

AVOCADOS — 5 to 15 lb. per acre (6 to 17 kg/hectare) per application. Repeat as needed.

BEANS, PEAS, LENTILS — 2 to 5 lb. per acre (2 to 6 kg/hectare) per application. Repeat as needed.

CITRUS (ALL VARIETIES) — 10 to 20 lb. per acre (11 to 22 kg/hectare) per application for mature trees. In horticultural oil sprays, use 3/4 to 1 lb. (0.3 to 0.5 kg) per 100 gal. (379 liters) in dilute sprays; 5 to 10 lb. per acre (6 to 11 kg/hectare) in concentrate sprays.

CORN (SWEET AND FIELD) — 3 to 5 lb. per acre (3 to 6 kg/hectare) per application. Repeat as needed.

DECIDUOUS TREES (such as ALMONDS, APPLES, APRICOTS, CHERRIES, NECTARINES, PEACHES, PEARS, PLUMS, PRUNES, WALNUTS, PECANS, FILBERTS, PISTACHIOS) — Dormant: Use 6 to 15 lb. per acre (7 to 17 kg/hectare). May be used with horticultural oil. Delayed Dormant: Use 5 to 10 lb. per acre (6 to 11 kg/hectare). May be used with horticultural oil. Foliage Spray: Apply at the rate of 2 to 6 lb. per acre (2 to 7 kg/hectare) per application. Repeat as needed. Application of this product as a foliage spray must be made with caution, especially during wet weather or poor drying conditions. Application to fruit within 3 weeks of harvest may leave a visible residue. Post Harvest: 6 to 15 lb. per acre (7 to 17 kg/hectare).

GRAPES — Apply 2 to 8 lb. per acre (2 to 9 kg/hectare) applied at 4-6" new shoot growth, not later than buckshot stage. May be used in a dormant spray at the rate of 3/4 lb. per gal. (90 grams per liter) of horticultural oil.

POTATOES — 2 to 5 lb. per acre (2 to 6 kg/hectare) per application.

TROPICAL FRUIT (such as PINEAPPLE, BANANA, COCONUT, PAPAYA, DURIAN, MANGO, MANGOSTEEN, RAMBUTAN, LITCHI, LONGAN, GUAVA, SUGAR APPLE, STAR-FRUIT) — 2 to 6 lb.

per acre (2 to 7 kg/hectare) per application. Repeat as needed.

WHEAT, BARLEY, RICE AND OTHER SMALL GRAINS — 2 to 5 lb. per acre (2 to 6 kg/hectare) per application. Repeat as needed.

DIRECTIONS FOR USE

ALWAYS FOLLOW THESE LABEL INSTRUCTIONS.

Slowly wash through the top filter into the tank three-quarters filled with water, whilst agitating. Top up with water and continue to agitate until spraying is completed.

Tank Mixing: Read ALL labels carefully and adhere strictly to the instructions for use and advice regarding whether or not product(s) should be tankmixed. Many variables, outside the control of Yara, can influence the performance of tankmixed products and therefore tankmixing is entirely at the risk of the end-user. It is strongly recommended that a limited crop area only is treated initially when using unfamiliar tankmixes. *Before tankmixing products you, or your advisor, must visit www.tankmix.com/leffingwell for important information. Alternatively, contact Yara for specific advice.*

Precautions: Not for application to crops under glass or polythene. Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Wear suitable gloves and faceshield when handling this product. Clean all equipment before and after use.

STORAGE

Keep in a cool, dry chemical store, out of reach of children and animals. *Protect from frost and other climatic extremes.*

CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITY

The directions on this label are believed to be reliable and should be followed carefully. Insufficient remedy of nutritional problems on the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions, the failure to follow the label directions, or good application practices, all of which are beyond the control of Yara or the seller. In addition, failure to follow label directions may cause injury to other crops, animals, man or the environment.

Yara warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in these directions for use subject to the factors noted above which are beyond the control of Yara.

Yara makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose and no such warranty shall be implied by law.

The exclusive remedy against Yara for any cause of action relating to the handling or use of this product is a claim for damage and in no event shall damages or any other recovery of any kind against Yara exceed the price of the product which causes the alleged loss, damage, injury, or other claim.

Yara shall not be liable and any and all claims against Yara are waived, for special, indirect, incidental, or consequential damages or expenses, of any nature, including, but not limited to, loss of profits or income, whether or not based on Yara's negligence, breach of warranty, strict liability in tort or any other cause of action.

Yara and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

13.11.2020 - replaces all previous labels.



WARNING: Cancer and Reproductive Harm — www.P65Warnings.ca.gov