

# YaraVita® GlytreI™ MnP 0-7-0

## APPLICATION RATES AND TIMINGS

**Soybean:** 1 - 2 pints/acre applied as early in the growing season as possible, provided there is adequate leaf cover to intercept the spray. Water rate: 3 to 20 gallons/acre.

**Cereals:** 1-3 pints/acre from 2 leaf stage to second node detectable (Zadok's G.S. 12 to 32). For moderate to severe deficiency repeat applications at 7 to 14 day intervals as necessary within these growth stages. Water rate: 3 to 20 gallons per acre.

**Citrus:** 1-3 pints/acre during spring and autumn flushes. Water rate: 20 to 100 gallons per acre.

**Cotton:** 1-3 pints/acre at the 4 to 6 leaf stage. For moderate to severe deficiency, repeat applications at 10 to 14 day intervals. N.B. Do not spray during flowering. Water rate: 3 to 20 gallons per acre.

**Corn:** 1-3 pints/acre at the 2 to 8 leaf stage. For moderate to severe deficiency, repeat applications at 10 to 14 day intervals as necessary. Water rate: 3 to 20 gallons per acre.

**Green bean:** 1-3 pints/acre at the 4 to 6 leaf stage. Repeat 10 to 14 days later if necessary. Water rate: 3 to 20 gallons per acre.

**Groundnuts/Peanuts:** 1-3 pints/acre at the 4 to 6 leaf stage. Repeat 10 to 14 days later if necessary.

Water rate: 3 to 20 gallons per acre.

**Sugar beet:** 1-3 pints/acre from the 4 to 6 leaf stage. Repeat 10 to 14 days later if necessary. Water rate: 3 to 20 gallons/acre.

*Extended recommendations available at [www.yara.us/agriculture/products/yaravita](http://www.yara.us/agriculture/products/yaravita)*

---

**WARNING:** This product may contain a chemical (or chemicals) known to the State of California to cause cancer and birth defects or other reproductive harm.

## DIRECTIONS FOR USE ALWAYS FOLLOW THESE LABEL INSTRUCTIONS

Mix the product thoroughly before use. Slowly add the product to the tank, via the induction hopper, whilst agitating. Top up with water and continue to agitate until spraying is completed.

## TANK MIXING/CO-APPLICATION

Read ALL labels carefully and adhere strictly to the instructions for use. Co-application is entirely at the risk of the end-user. Before co-application of products you, or your advisor, must visit [www.tankmix.com](http://www.tankmix.com) for important information. Alternatively, contact Yara for specific advice.

## PRECAUTIONS

Only to be used on protected crops if specifically listed. Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Wear suitable gloves and face shield when handling this product. Clean all equipment before and after use.

## STORAGE

Keep in a cool, dry chemical store, out of reach of children and livestock. Protect from frost and other climatic extremes. (temperatures exceeding 100°F) Dispose of contents and container in accordance with all local, regional, national and international regulations.

## CONDITIONS OF SALE

This Product is sold subject to the seller's Terms and Conditions of Sale, which are available upon request. Use of the Product is acceptance by the buyer of the Terms and Conditions of Sale.