

YaraVita Flex™

APPLICATION RATES AND TIMINGS

WARNING

This product contains boron and Molybdenum (Mo) which may be injurious to certain crops. Contact your county agent or field consultant for specific information.

Maize: 3 pint/ac at 4 to 8 leaf stage. Repeat 10 to 14 days later if necessary. Water rate: 3 to 20 gallons/acre.

Potatoes: 3 pints/acre one week after 100% crop emergence. 3 pints/acre at tuber initiation (when 50% of the tip swellings are twice the diameter of the rest of the stolon). 3 pints/acre during tuber bulking (as soon as first formed tubers are 10mm in diameter), and following petiole analysis during tuber bulking. Allow 10 to 14 days between applications. Water rate: 3 to 20 gallons/acre.

Soya bean: 3 pints/acre when crop is 10 to 15 cm tall. Repeat if necessary 10 to 14 days later. Water rate: 3 to 20 gallons/acre.

Tomato: Field Grown: 3 pints/acre at the 4 to 6 leaf stage. Repeat once or twice at 10 to 14 day intervals if necessary. Water rate: 3 to 20 gallons/acre.

Extended recommendations available at <https://www.yara.us/crop-nutrition/fertilizer-products/yaravita/>

DIRECTIONS FOR USE

ALWAYS FOLLOW THESE LABEL INSTRUCTIONS

Mix the product thoroughly before use. Slowly add the product to the tank, via the induction hopper, whilst agitating. Top up with water and continue to agitate until spraying is completed.

TANK MIXING/CO-APPLICATION

Read ALL labels carefully and adhere strictly to the instructions for use. Co-application is entirely at the risk of the end-user. Before co-application of products you, or your advisor, must visit www.tankmix.com for important information. Alternatively, contact Yara for specific advice.

PRECAUTIONS

Only to be used on protected crops if specifically listed. Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Wear suitable gloves and face shield when handling this product. Clean all equipment before and after use.

STORAGE

Keep in a cool, dry chemical store, out of reach of children and livestock. Protect from frost and other climatic extremes. (temperatures exceeding 100°F) Dispose of contents and container in accordance with all local, regional, national and international regulations.

CONDITIONS OF SALE

This Product is sold subject to the seller's Terms and Conditions of Sale, which are available upon request. Use of the Product is acceptance by the buyer of the Terms and Conditions of Sale.



WARNING: Cancer and Reproductive Harm –www.P65Warnings.ca.gov